



“Every window is not created equal”

SCHÖNLINE®




TECHNICAL DETAILS



SCHÖNLINE



TECHNICAL DETAILS



LINE90

(Page 04)



LINE80

(Page 06)



LINE70

(Page 10)



ECOLINE60plus

(Page 26)



ECOLINE60

(Page 30)



LINEX60

(Page 34)



ECOLINE70

(Page 14)



LINEX70

(Page 18)



LINE60

(Page 22)



LINE80 *Sliding*

(Page 38)



LINE70 *Sliding*


(Page 42)



PRIMELINE

(Page 60)


MAIN PROFILES



Frame Profile

9620 | **1.730 gr/m**


1 Pack : 4x6 m = 24 m



Sash Profile

9635 | **1.660 gr/m**

1 Pack : 4x6 m = 24 m




Mullion Profile

9640 | **2.000 gr/m**

1 Pack : 4x6 m = 24 m


LINE90 - GLAZING BEADS




90 mm Glazing Bead Adaptor Profile

9680 | **220 gr/m**

1 Pack : 25x6 m = 150 m




LINE90 - AUXILIARY PROFILES



90 mm Glazing Bead Adaptor Profile

96100 | **400 gr/m**

1 Pack : 6x15 m = 90 m




Coupling Profile

10120 | **130 gr/m**

1 Pack : 25x6 m = 150 m


LINE90 - ACCESSORIES



Double Glazing Bead with Gasket

X6481 | **245 gr/m**

1 Pack : 25x6 m = 150 m



001.012

Mullion Connector




001.014

Espagnolette Striker



001.001


Hinge




Double Glazing Bead with Gasket

X6480 | **250 gr/m**

1 Pack : 25x6 m = 150 m




LINE90 - REINFORCEMENT STEEL



009.001





For
9620 - 9640




009.013

For
9635

LINE90 - ASSEMBLY DETAILS




LINE80 - MAIN PROFILES



Door Sash Profile

7550 | **2.053 gr/m**


1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

7551 | **1.546 gr/m**

1 Pack : 4x6 m = 24 m




Outswing Door Sash Profile

7560 | **2.067 gr/m**

1 Pack : 4x6 m = 24 m



LINE80 - GLAZING BEADS



Double Glazing Bead with Gasket (24 mm)

8680C | **230 gr/m**



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (34 mm)

6490C | **240 gr/m**



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (24 mm)

7580C | **292 gr/m**



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (40 mm)

64100C | **220 gr/m**



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (32 mm)

75105C | **239 gr/m**


1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (42 mm)

64105C | **215 gr/m**

1 Pack : 25x6 m = 150 m



LINE80 - ACCESSORIES



001.007

Mullion Connector



001.009

Mullion Connector



001.013

Mullion Connector



001.014

Espagnolette Striker



001.015


Sash Adaptor Cap



001.001


Hinge

LINE80 - REINFORCEMENT STEEL




009.001

For
7521-7531-7536-7541-7520
7530-7535-7540-8621-8641



009.003


For
7551



009.002

For
7550-7560


LINE80 - AUXILIARY PROFILES



Coupling Profile

75120 390 gr/m


1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Third Gasket Adaptor

1040 178 gr/m


1 Pack : 25x6 m = 150 m



Fringe

10125 280 gr/m


1 Pack : 10x6 m = 60 m



LINE70 Aluminium Door Sash
Without Threshold

7555 594 gr/m


1 Pack : 4x6 m = 24 m



Door Sash With Aluminium
Threshold Drip Profile

9010 166 gr/m

1 Pack : 25x6 m = 150 m










Sash Drip Profile


9011 168 gr/m

1 Pack : 25x6 m = 150 m

LINE80 - ASSEMBLY DETAILS




MAIN PROFILES



Frame Profile

7525 | **1.298 gr/m**


1 Pack : 6x6 m = 36 m



Frame Profile

7520 | **1.430 gr/m**


1 Pack : 6x6 m = 36 m



Overlap Sash Profile

7530 | **1.583 gr/m**


1 Pack : 6x6 m = 36 m



Sash Profile

7535 | **1.450 gr/m**


1 Pack : 6x6 m = 36 m



Mullion Profile

7540 | **1.578 gr/m**


1 Pack : 6x6 m = 36 m



Door Sash Profile

7550 | **2.053 gr/m**


1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

7551 | **1.546 gr/m**


1 Pack : 4x6 m = 24 m



Outswing Door Sash Profile

7560 | **2.067 gr/m**

1 Pack : 4x6 m = 24 m




Sash Adaptor Profile

7570 | **1.394 gr/m**

1 Pack : 6x6 m = 36 m


LINE70 - GLAZING BEADS



Double Glazing Bead with Gasket (24 mm)

8680C 230 gr/m


1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (24 mm)

7580C 292 gr/m


1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (32 mm)

75105C 239 gr/m


1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (34 mm)

6490C 240 gr/m


1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (40 mm)

64100C 220 gr/m

1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (42 mm)


64105C 215 gr/m

1 Pack : 25x6 m = 150 m


LINE70 - REINFORCEMENT STEEL




009.010
For 7525




009.001
For 7520-7530-7535-7540




009.006
For 75110-75131



009.005
For 75160



009.003
For 7551



009.002
For 7550-7560

LINE70 - ACCESSORIES



001.007
Mullion Connector



001.009
Mullion Connector



001.001
Hinge



001.015
Sash Adaptor Cap



001.014
Espagnolette Striker




012.027
Threshold Adaptor



012.176-1
7555 Cover
White - Brown


LINE70 - AUXILIARY PROFILES



90° Corner Adaptor

75110 1.280 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

75120 390 gr/m


1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Third Gasket Adaptor

1040 178 gr/m


1 Pack : 25x6 m = 150 m



Fringe

10125 280 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (15 mm)

75130 517 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (60 mm)

75131 1.264 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

75140 467 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m


1 Pack : 6x6 m = 36 m



Static Coupling

75160 1.178 gr/m


1 Pack : 4x6 m = 24 m



**LINE70 Thermally Broken
Aluminium Threshold Profile**

70210 1.360 gr/m


1 Pack : 2x6 m = 12 m



**LINE70 Thermally Broken
Aluminium Threshold Profile (High)**

70220 2.016 gr/m


1 Pack : 2x6 m = 12 m



**LINE70 Aluminium Door Sash
Without Threshold**

7555 594 gr/m


1 Pack : 4x6 m = 24 m



**Door Sash With Aluminium
Threshold Drip Profile**

9010 166 gr/m


1 Pack : 25x6 m = 150 m



Sash Drip Profile

9011 168 gr/m

1 Pack : 25x6 m = 150 m




Fringe


10125 280 gr/m

1 Pack : 10x6 m = 60 m

LINE70 - ASSEMBLY DETAILS




MAIN PROFILES



Frame Profile

7526 | **1.163 gr/m**


1 Pack : 6x6 m = 36 m



Frame Profile

7521 | **1.281 gr/m**


1 Pack : 6x6 m = 36 m



Overlap Sash Profile

7531 | **1.422 gr/m**


1 Pack : 6x6 m = 36 m



Sash Profile

7536 | **1.340 gr/m**


1 Pack : 6x6 m = 36 m



Mullion Profile

7541 | **1.407 gr/m**


1 Pack : 6x6 m = 36 m



Door Sash Profile

7550 | **2.053 gr/m**


1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

7551 | **1.546 gr/m**


1 Pack : 4x6 m = 24 m



Outswing Door Sash Profile

7560 | **2.067 gr/m**

1 Pack : 4x6 m = 24 m









Sash Adaptor Profile


7570 | **1.394 gr/m**

1 Pack : 6x6 m = 36 m

ECOLINE70 - GLAZING BEADS




ECOLINE70 - REINFORCEMENT STEEL



ECOLINE70 - ACCESSORIES




ECOLINE70 - AUXILIARY PROFILES



90° Corner Adaptor

75110 1.280 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

75120 390 gr/m


1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Third Gasket Adaptor

1040 178 gr/m


1 Pack : 25x6 m = 150 m



Fringe

10125 280 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (15 mm)

75130 517 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (60 mm)

75131 1.264 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

75140 467 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m


1 Pack : 6x6 m = 36 m



Static Coupling

75160 1.178 gr/m


1 Pack : 4x6 m = 24 m



LINE70 Thermally Broken
Aluminium Threshold Profile

70210 1.360 gr/m


1 Pack : 2x6 m = 12 m



LINE70 Thermally Broken
Aluminium Threshold Profile (High)

70220 2.016 gr/m


1 Pack : 2x6 m = 12 m



LINE70 Aluminium Door Sash
Without Threshold

7555 594 gr/m


1 Pack : 4x6 m = 24 m



Door Sash With Aluminium
Threshold Drip Profile

9010 166 gr/m


1 Pack : 25x6 m = 150 m



Sash Drip Profile

9011 168 gr/m

1 Pack : 25x6 m = 150 m










Fringe


10125 280 gr/m

1 Pack : 10x6 m = 60 m

ECOLINE70 - ASSEMBLY DETAILS




MAIN PROFILES



Frame Profile

SX7520 1.150 gr/m


1 Pack : 4x6 m = 24 m



Renovation Frame Profile

SX7527 1.440 gr/m


1 Pack : 6x6 m = 36 m



Sash Profile

SX6430 1.172 gr/m


1 Pack : 6x6 m = 36 m



Overlap Sash Profile

SX7530 1.220 gr/m


1 Pack : 6x6 m = 36 m



Mullion Profile

SX7540 1.328 gr/m


1 Pack : 6x6 m = 36 m



Mullion Profile

SX6440 1.180 gr/m


1 Pack : 6x6 m = 36 m



Door Sash Profile

SX6450 1.545 gr/m


→ 18 1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

SX6451 1.347 gr/m


1 Pack : 4x6 m = 24 m



Outswing Door Sash Profile

SX6460 1.545 gr/m

1 Pack : 4x6 m = 24 m




Sash Adaptor Profile

SX6470 890 gr/m

1 Pack : 6x6 m = 36 m



LINEX70 - GLAZING BEADS



Single Glazing Bead with Gasket

X6481 245 gr/m



1 Pack : 25x6 m = 150 m



Single Glazing Bead with Gasket

X6480 250 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

X6495 250 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

X6496 170 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (24 mm)

X6490 170 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (24 mm)

X6491 170 gr/m


1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (32 mm)

X64105 210 gr/m

1 Pack : 25x6 m = 150 m




LINEX70 - REINFORCEMENT STEEL




009.010

For SX7527




009.001

For
SX7520-SX6430-SX7530
SX7540-SX6440




009.006

For
75110-75131




009.005

For
75160



009.003

For
SX6451



009.002

For
SX6450-SX6460

LINEX70 - ACCESSORIES



001.012

Mullion Connector



001.014

Espagnolette Striker



001.036


Sash Adaptor Cap



001.001

Hinge


LINEX70 - AUXILIARY PROFILES



90° Corner Adaptor

75110 1.280 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

75120 390 gr/m


1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Frame Extension (15 mm)

75130 517 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (60 mm)

75131 1.264 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

75140 467 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m

1 Pack : 6x6 m = 36 m






Static Coupling


75160 1.178 gr/m

1 Pack : 4x6 m = 24 m


LINEX70 - ASSEMBLY DETAILS



LINEX70 - ASSEMBLY DETAILS




MAIN PROFILES



Frame Profile

6421 1.152 gr/m


1 Pack : 6x6 m = 36 m



Frame Profile

6420 1.256 gr/m


1 Pack : 6x6 m = 36 m



Sash Profile

6430 1.397 gr/m


1 Pack : 6x6 m = 36 m



Mullion Profile

6440 1.448 gr/m


1 Pack : 6x6 m = 36 m



Inswing Door Sash Profile

6450 1.870 gr/m


1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

6451 1.584 gr/m


1 Pack : 4x6 m = 24 m



Outswing Door Sash Profile

6460 1.870 gr/m

1 Pack : 4x6 m = 24 m




Sash Adaptor Profile

6470 1.278 gr/m

1 Pack : 6x6 m = 36 m



LINE60 - GLAZING BEADS



Single Glazing Bead with Gasket

6480C 332 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

6495C 264 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (24 mm)

6490C 240 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (30 mm)

64100C 220 gr/m


1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (32 mm)

64105C 215 gr/m

1 Pack : 25x6 m = 150 m




LINE60 - REINFORCEMENT STEEL




009.010

For 6421




009.001

For 6420-6430-6440




009.006

For 64110-64131




009.005

For 64160



009.003

For 6451



009.002


For 6450-6460

LINE60 - ACCESSORIES



001.010

Mullion Connector



001.011

Mullion Connector



001.001

Hinge



001.018

Sash Adaptor Cap



001.024

Threshold Adaptor



001.014

Espagnolette Striker



012.175-1


6455 Cover White - Brown



001.051

Threshold Adaptor


LINE60 - AUXILIARY PROFILES



90° Corner Adaptor

64110 766 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

64120 330 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (15 mm)

64130 473 gr/m

1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Third Gasket Adaptor

1040 178 gr/m


1 Pack : 25x6 m = 150 m



Frame Extension (60 mm)

64131 1.117 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

64140 390 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m


1 Pack : 6x6 m = 36 m



Static Coupling

64160 1.064 gr/m


1 Pack : 4x6 m = 24 m



LINE60 Thermally Broken Aluminium Threshold Profile

60210 1.352 gr/m


1 Pack : 2x6 m = 12 m



LINE60 Thermally Broken Aluminium Threshold Profile (High)


60220 1.928 gr/m

1 Pack : 2x6 m = 12 m



LINE60 Aluminium Threshold


60230 803 gr/m



LINE60 Aluminium Door Sash Without Threshold

6455 552 gr/m


1 Pack : 4x6 m = 24 m



Door Sash With Aluminium Threshold Drip Profile

9010 166 gr/m

1 Pack : 25x6 m = 150 m




Sash Drip Profile

9011 168 gr/m

1 Pack : 25x6 m = 150 m


MAIN PROFILES



Frame Profile

6326 1.111 gr/m


1 Pack : 6x6 m = 36 m



Frame Profile

6325 1.185 gr/m


1 Pack : 6x6 m = 36 m



Sash Profile

6335 1.331 gr/m


1 Pack : 6x6 m = 36 m



Mullion Profile

6345 1.369 gr/m


1 Pack : 6x6 m = 36 m



Inswing Door Sash Profile

6450 1.870 gr/m


1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

6451 1.584 gr/m


1 Pack : 4x6 m = 24 m



Outswing Door Sash Profile

6460 1.870 gr/m

1 Pack : 4x6 m = 24 m




Sash Adaptor Profile

6470 1.278 gr/m

1 Pack : 6x6 m = 36 m



ECOLINE60 Plus - GLAZING BEADS



Single Glazing Bead with Gasket

6480C 332 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

6495C 264 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (24 mm)

6490C 240 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (30 mm)

64100C 220 gr/m


1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (32 mm)

64105C 215 gr/m

1 Pack : 25x6 m = 150 m




ECOLINE60 Plus - REINFORCEMENT STEEL




009.010

For 6326




009.001

For 6325-6335-6345




009.006

For 64110-64131




009.005

For 64160



009.003

For 6451



009.002


For 6450-6460

ECOLINE60 Plus - ACCESSORIES



001.010

Mullion Connector



001.011

Mullion Connector



001.001

Hinge



001.018

Sash Adaptor Cap



001.024

Threshold Adaptor



012.175-1

6455 Cover White - Brown



001.014


Espagnolette Striker



001.051

Threshold Adaptor


ECOLINE60 Plus - AUXILIARY PROFILES



90° Corner Adaptor

64110 766 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

64120 330 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (15 mm)

64130 473 gr/m

1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Third Gasket Adaptor

1040 178 gr/m


1 Pack : 25x6 m = 150 m



Frame Extension (60 mm)

64131 1.117 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

64140 390 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m


1 Pack : 6x6 m = 36 m



Static Coupling

64160 1.064 gr/m


1 Pack : 4x6 m = 24 m



LINE60 Thermally Broken Aluminium Threshold Profile

60210 1.352 gr/m


1 Pack : 2x6 m = 12 m



LINE60 Thermally Broken Aluminium Threshold Profile (High)


60220 1.928 gr/m

1 Pack : 2x6 m = 12 m



LINE60 Aluminium Threshold


60230 803 gr/m



LINE60 Aluminium Door Sash Without Threshold

6455 552 gr/m


1 Pack : 4x6 m = 24 m



Door Sash With Aluminium Threshold Drip Profile

9010 166 gr/m

1 Pack : 25x6 m = 150 m




Sash Drip Profile

9011 168 gr/m

1 Pack : 25x6 m = 150 m



ECOLINE60 - GLAZING BEADS



Single Glazing Bead with Gasket

6480C 332 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

6495C 264 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (24 mm)

6490C 240 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (30 mm)

64100C 220 gr/m


1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (32 mm)

64105C 215 gr/m

1 Pack : 25x6 m = 150 m




ECOLINE60 - REINFORCEMENT STEEL




009.010

For 6324-6327




009.001

For 6320-6321-6322-6323-6330-6340




009.006

For 64110-64131




009.005

For 64160



009.003

For 6451



009.002


For 6450-6460

ECOLINE60 - ACCESSORIES



001.010

Mullion Connector



001.011

Mullion Connector



001.001

Hinge



001.018

Sash Adaptor Cap



001.024

Threshold Adaptor



001.014

Espagnolette Striker



012.175-1


6455 Cover White - Brown



001.051

Threshold Adaptor


ECOLINE60 - AUXILIARY PROFILES



90° Corner Adaptor

64110 | **766 gr/m**


1 Pack : 4x6 m = 24 m



Coupling Profile

64120 | **330 gr/m**


1 Pack : 10x6 m = 60 m



Frame Extension (15 mm)

64130 | **473 gr/m**

1 Pack : 10x6 m = 60 m



Coupling Profile

10120 | **130 gr/m**


1 Pack : 25x6 m = 150 m



Third Gasket Adaptor

1040 | **178 gr/m**


1 Pack : 25x6 m = 150 m



Frame Extension (60 mm)

64131 | **1.117 gr/m**


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

64140 | **390 gr/m**


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 | **550 gr/m**


1 Pack : 6x6 m = 36 m



Static Coupling

64160 | **1.064 gr/m**


1 Pack : 4x6 m = 24 m



LINE60 Thermally Broken Aluminium Threshold Profile

60210 | **1.352 gr/m**


1 Pack : 2x6 m = 12 m



LINE60 Thermally Broken Aluminium Threshold Profile (High)

60220 | **1.928 gr/m**


1 Pack : 2x6 m = 12 m



LINE60 Aluminium Threshold

60230 | **803 gr/m**


1 Pack : 10x6 m = 60 m



LINE60 Aluminium Door Sash Without Threshold

6455 | **552 gr/m**


1 Pack : 4x6 m = 24 m



Door Sash With Aluminium Threshold Drip Profile

9010 | **166 gr/m**

1 Pack : 25x6 m = 150 m











Sash Drip Profile


9011 | **168 gr/m**

1 Pack : 25x6 m = 150 m

ECOLINE60 - ASSEMBLY DETAILS



MAIN PROFILES



Frame Profile

SX6420 940 gr/m

1 Pack : 6x6 m = 36 m

Renovation Frame Profile

SX6423 1.000 gr/m

1 Pack : 6x6 m = 36 m

Renovation Frame Profile


SX6427 1.207 gr/m

1 Pack : 6x6 m = 36 m

Sash Profile

SX6430 1.080gr/m


1 Pack : 6x6 m = 36 m



Overlap Sash Profile

SX7530 1.220 gr/m


1 Pack : 6x6 m = 36 m



Mullion Profile

SX6440 1.070 gr/m


1 Pack : 6x6 m = 36 m



Door Sash Profile

SX6450 1.545 gr/m


1 Pack : 4x6 m = 24 m



Balcony Door Sash Profile

SX6451 1.347 gr/m


1 Pack : 4x6 m = 24 m



Outswing Door Sash Profile

SX6460 1.545 gr/m

1 Pack : 4x6 m = 24 m




Sash Adaptor Profile

SX6470 890 gr/m

1 Pack : 6x6 m = 36 m



LINEX60 - GLAZING BEADS



Single Glazing Bead with Gasket

X6481 245 gr/m



1 Pack : 25x6 m = 150 m



Single Glazing Bead with Gasket

X6480 250 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

X6495 250 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

X6496 170 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (24 mm)

X6490 170 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (24 mm)

X6491 170 gr/m


1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (32 mm)

X64105 210 gr/m

1 Pack : 25x6 m = 150 m




LINEX60 - REINFORCEMENT STEEL




009.010

For SX6423




009.001

For SX6420-SX6427-SX6430-SX6440




009.006

For 64110-64131




009.005

For 64160



009.003

For SX6451



009.002

For SX6450-SX6460

LINEX60 - ACCESSORIES



001.012

Mullion Connector



001.014

Espagnolette Striker



001.036


Sash Adaptor Cap



001.001

Hinge


LINEX60 - AUXILIARY PROFILES



90° Corner Adaptor

64110 766 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

64120 330 gr/m


1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Frame Extension (15 mm)

64130 473 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (60 mm)

64131 1.117 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

64140 390 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m

1 Pack : 6x6 m = 36 m






Static Coupling


64160 1.064 gr/m

1 Pack : 4x6 m = 24 m


LINEX60 - ASSEMBLY DETAILS



LINEX60 - ASSEMBLY DETAILS




MAIN PROFILES



Frame Profile

8420 | **1.401 gr/m**


1 Pack : 4x6 m = 24 m



Renovation Frame Profile

8423 | **1.350 gr/m**


1 Pack : 4x6 m = 24 m



Sash Profile

8430 | **1.534 gr/m**


1 Pack : 4x6 m = 24 m



Mullion Profile

6345 | **1.369 gr/m**


1 Pack : 6x6 m = 36 m



Mullion Profile

6340 | **1.226 gr/m**


1 Pack : 6x6 m = 36 m



Interlock Profile

8441 | **290 gr/m**


1 Pack : 10x6 m = 60 m



Aluminium Interlock Profile

8440 | **435 gr/m**


1 Pack : 6x6 m = 36 m



Aluminium Locking Profile

8450 | **505 gr/m**

1 Pack : 6x6 m = 36 m




Aluminium Rail Profile

8460 | **105 gr/m**

1 Pack : 25x6 m = 150 m



LINE80 Sliding - GLAZING BEADS



Single Glazing Bead with Gasket

6480C 332 gr/m



1 Pack : 25x6 m = 150 m



Double Glazing Bead with Gasket (20 mm)

6495C 264 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (24 mm)

6490C 240 gr/m



1 Pack : 25x6 m = 150 m



Triple Glazing Bead with Gasket (30 mm)

64100C 220 gr/m


1 Pack : 25x6 m = 150 m




Triple Glazing Bead with Gasket (32 mm)

64105C 215 gr/m

1 Pack : 25x6 m = 150 m




LINE80 Sliding - REINFORCEMENT STEEL




009.001

For 8430-6340-6345




009.004

For 8420



009.005

For 75160



009.006


For 75110-75131

LINE80 Sliding - ACCESSORIES



001.010

Mullion Connector



001.039

Top & Bottom Seal



001.021

Interlock Top & Bottom Cover Set



013.012


Sliding Roller



001.049

Brush Seal For Sash & Interlock


LINE80 Sliding - AUXILIARY PROFILES



90° Corner Adaptor

75110 1.280 gr/m


1 Pack : 4x6 m = 24 m



Coupling Profile

75120 390 gr/m


1 Pack : 10x6 m = 60 m



Coupling Profile

10120 130 gr/m


1 Pack : 25x6 m = 150 m



Frame Extension (15 mm)

75130 517 gr/m


1 Pack : 10x6 m = 60 m



Fringe

10125 280 gr/m


1 Pack : 10x6 m = 60 m



Frame Extension (60 mm)

75131 1.264 gr/m


1 Pack : 4x6 m = 24 m



Angle Corner Adaptor Profile

75140 467 gr/m


1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m

1 Pack : 6x6 m = 36 m





Static Coupling


75160 1.178 gr/m

1 Pack : 4x6 m = 24 m


LINE80 Sliding - ASSEMBLY DETAILS



LINE80 Sliding - ASSEMBLY DETAILS




MAIN PROFILES



Double Track Frame Profile

7320 1.030 gr/m


1 Pack : 4x6 m = 24 m



Double Track Renovation Frame Profile

7323 1.250 gr/m


1 Pack : 4x6 m = 24 m



Double Track with Screen Renovation Frame Profile

7324 1.460 gr/m


1 Pack : 4x6 m = 24 m



Single Track Frame Profile

7321 1.400 gr/m


1 Pack : 4x6 m = 24 m



Triple Frame Profile

7322 1.620 gr/m


1 Pack : 4x6 m = 24 m



Sash Profile

7330 1.170 gr/m

1 Pack : 4x6 m = 24 m




Fixed Mullion

7345 1.060 gr/m

1 Pack : 4x6 m = 24 m


LINE70 Sliding - MAIN PROFILES



Frame Adaptor

7380 0.550 gr/m


1 Pack : 6x6 m = 36 m



Aluminium Threshold

7349 0.415 gr/m


1 Pack : 8x6 m = 48 m



Interlock

7341 0.300 gr/m


1 Pack : 10x6 m = 60 m



Frame Cover

7347 0.230 gr/m


1 Pack : 8x6 m = 48 m



Frame Adaptor Coupling

7348 0.325 gr/m


1 Pack : 8x6 m = 48 m



Aluminium Locking Profile

7350 500 gr/m


1 Pack : 6x6 m = 36 m



Aluminium Rail Profile

8460 105 gr/m

1 Pack : 25x6 m = 150 m




Aluminium Fly Screen Profile

001.174

1 Pack : 10x6 m = 60 m



LINE70 Sliding - GLAZING BEADS



Single Glazing Bead with Gasket

9680 220 gr/m


1 Pack : 25x6 m = 150 m




Double Glazing Bead with Gasket

7395 0.160 gr/m

1 Pack : 25x6 m = 150 m




LINE70 Sliding - REINFORCEMENT STEEL




009.007

For
7320-7321-7322
7323-7324




009.008

For
7320-7321-7322
7323-7324




009.001

For
7330



009.0011


For
7345



009.012


For
7380

LINE70 Sliding - AUXILIARY PROFILES




90° Corner Adaptor

75110 1.280 gr/m
1 Pack : 4x6 m = 24 m




Coupling Profile

75120 390 gr/m
1 Pack : 10x6 m = 60 m




Coupling Profile

10120 130 gr/m
1 Pack : 25x6 m = 150 m




Frame Extension (15 mm)

75130 517 gr/m
1 Pack : 10x6 m = 60 m




Fringe

10125 280 gr/m
1 Pack : 10x6 m = 60 m




Frame Extension (60 mm)

75131 1.264 gr/m
1 Pack : 4x6 m = 24 m




Angle Corner Adaptor Profile

75140 467 gr/m
1 Pack : 12x6 m = 72 m



Pipe Profile

1030 550 gr/m
1 Pack : 6x6 m = 36 m



Static Coupling

75160 1.178 gr/m
1 Pack : 4x6 m = 24 m

LINE70 Sliding - ACCESSORIES



001.013

Mullion Connector



013.012

Sliding Roller




003.155

Sliding Fly Screen Roller



001.049

Brush Seal For Sash & Interlock



001.059




Top & Bottom Seal (42 mm)
For
7320 - 7322 - 7323 - 7324





001.061

Top & Bottom Seal (25 mm)
For
7321



LINE70 Sliding - ASSEMBLY DETAILS






LINE70 Sliding - ASSEMBLY DETAILS




LINE70 Sliding - ASSEMBLY DETAILS






LINE70 Sliding - ASSEMBLY DETAILS





LINE70 Sliding - ASSEMBLY DETAILS





LINE70 Sliding - ASSEMBLY DETAILS





LINE70 Sliding - ASSEMBLY DETAILS






LINE70 Sliding - ASSEMBLY DETAILS



LINE70 Sliding - ASSEMBLY DETAILS





A - A





B - B




LINE70 Sliding - ASSEMBLY DETAILS






LINE70 Sliding - ASSEMBLY DETAILS




LINE70 Sliding - ASSEMBLY DETAILS



LINE70 Sliding - ASSEMBLY DETAILS




AUXILIARY PROFILES



24 mm Panel Profile

1010 585 gr/m


1 Pack : 10x6 m = 60 m



20 mm Panel Profile

1015 605 gr/m

1 Pack : 10x6 m = 60 m



Fringe Profile


1020 542 gr/m

1 Pack : 10x6 m = 60 m



Pervazmatik


001.030



Fringe Profile

1021 600 gr/m

1 Pack : 10x6 m = 60 m




Fringe Profile

1022 440 gr/m

1 Pack : 10x6 m = 60 m


AUXILIARY PROFILES



200 mm Window Sill Profile

1050 1.329 gr/m


1 Pack : 4x6 m = 24 m



250 mm Window Sill Profile

1055 1.460 gr/m


1 Pack : 4x6 m = 24 m



"T" Fringe Profile

1060 126 gr/m

1 Pack : 25x6 m = 150 m




Window Sill Adaptor

64150 566 gr/m

1 Pack : 10x6 m = 60 m

FOR FIXED FLY SCREEN APPLICATIONS



Fly Screen Profile

1070 205 gr/m

1 Pack : 25x6 m = 150 m



Fly Screen Corner Connector

001.126

1 Box : 100 pcs



Fly Screen Pin


001.128

1 Box : 100 pcs

Without Spring

001.129


ALUMINIUM CLADDING PROFILES



Low Frame
Aluminium Cladding

110021 354 gr/m


1 Pack : 6x6 m = 36 m



LINE60 Frame
Aluminium Cladding

110621 371 gr/m


1 Pack : 6x6 m = 36 m



Low Frame with Fly
Screen Aluminium Cladding

110022 874 gr/m


1 Pack : 6x6 m = 36 m



LINE60 Frame with Fly
Screen Aluminium Cladding

110622 917 gr/m


1 Pack : 6x6 m = 36 m



Low Frame
Wide Aluminium Cladding

110023 913 gr/m

1 Pack : 6x6 m = 36 m




LINE60 Frame
Wide Aluminium Cladding

110623 892 gr/m

1 Pack : 6x6 m = 36 m


ALUMINIUM CLADDING PROFILES



Low Frame with Fly Screen Aluminium Cladding

110024 1.130 gr/m


1 Pack : 6x6 m = 36 m



LINE60 Frame with Fly Screen Aluminium Cladding

110624 1.171 gr/m


1 Pack : 6x6 m = 36 m



LINE70 Frame Aluminium Cladding

110721 421 gr/m


1 Pack : 6x6 m = 36 m



LINE80 Frame Aluminium Cladding

110821 352 gr/m


1 Pack : 6x6 m = 36 m



LINE80 Frame with Fly Screen Aluminium Cladding

110822 1.018 gr/m


1 Pack : 6x6 m = 36 m



LINE80 Frame Aluminium Cladding

110823 423 gr/m


1 Pack : 6x6 m = 36 m



LINE70 Frame with Fly Screen Aluminium Cladding

110722 973 gr/m

1 Pack : 6x6 m = 36 m




LINE70 Frame Wide Aluminium Cladding

110723 923 gr/m

1 Pack : 6x6 m = 36 m


ALUMINIUM CLADDING PROFILES



LINE70 Frame with Fly
Screen Wide Aluminium Cladding

110724 **1.191 gr/m**


1 Pack : 6x6 m = 36 m



Sash
Aluminium Cladding

110031 **280 gr/m**


1 Pack : 6x6 m = 36 m



Overlap Sash
Aluminium Cladding

110731 **311 gr/m**


1 Pack : 6x6 m = 36 m



Mullion
Aluminium Cladding

110041 **545 gr/m**

1 Pack : 6x6 m = 36 m




Mullion with Fly
Screen Aluminium Cladding

110042 **1.042 gr/m**

1 Pack : 6x6 m = 36 m


ALUMINIUM CLADDING PROFILES



Mullion
Wide Aluminium Cladding

110043 **769 gr/m**


1 Pack : 6x6 m = 36 m



Mullion with Fly
Screen Wide Aluminium Cladding

110044 **1.161 gr/m**


1 Pack : 6x6 m = 36 m



LINE80 Mullion
Aluminium Cladding

110045 **465 gr/m**


1 Pack : 6x6 m = 36 m



Door
Aluminium Cladding

110051 **540 gr/m**


1 Pack : 6x6 m = 36 m



LINE70 Overhung & Door
Aluminium Cladding

110063 **1.069 gr/m**


1 Pack : 6x6 m = 36 m



Balcony Door
Aluminium Cladding

110052 **457 gr/m**

1 Pack : 6x6 m = 36 m



Fly Screen Profile

110010 **250 gr/m**

1 Pack : 10x6 m = 60 m



Fly Screen Corner Connector

001.127

1 Box : 100 pcs







3M Double Sided Tape

014.002

1 Roll : 33 m

ASSEMBLY DETAILS



schonlinepvc.com



SCHÖNLINE®